



24" SIGNATURE SERIES DUAL-ZONE Refrigerator/Wine Reserve



eco friendly
R600a Refrigerant



JOB	
AREA	
ITEM NO.	
MODEL NO.	



Glass Door Model



Solid Door Model

MODELS	DESCRIPTION
HP24CS-4-1R/L	Indoor Signature Series Dual Zone Wine/Refrigerator Solid Stainless Steel Door
HP24CS-4-2R/L	Indoor Signature Series Dual Zone Wine/Refrigerator Solid Panel Ready Door
HP24CS-4-3R/L	Indoor Signature Series Dual Zone Wine/Refrigerator Stainless Steel Glass Door
HP24CS-4-4R/L	Indoor Signature Series Dual Zone Wine/Refrigerator Panel Ready Glass Door
HP24CO-4-1R/L	Outdoor Signature Series Dual Zone Wine/Refrigerator Solid Stainless Steel Door
HP24CO-4-2R/L	Outdoor Signature Series Dual Zone Wine/Refrigerator Solid Panel Ready Door
HP24CO-4-3R/L	Outdoor Signature Series Dual Zone Wine/Refrigerator Stainless Steel Glass Door
HP24CO-4-4R/L	Outdoor Signature Series Dual Zone Wine/Refrigerator Panel Ready Glass Door
HP24CM-4-1R/L	Marine Signature Series Dual Zone Wine/Refrigerator Solid Stainless Steel Door
HP24CM-4-2R/L	Marine Signature Series Dual Zone Wine/Refrigerator Solid Panel Ready Door
HP24CM-4-3R/L	Marine Signature Series Dual Zone Wine/Refrigerator Stainless Steel Glass Door
HP24CM-4-4R/L	Marine Signature Series Dual Zone Wine/Refrigerator Panel Ready Glass Door

KEY PRODUCT FEATURES AND BENEFITS

- Superior construction provides ideal combination of energy efficient operation & powerful refrigeration performance ideal for food and beverages
- Patented dual zone technology allows you to store your wines at their perfect temperature while storing food and beverages in the refrigerated zone below
- 1000 BTU/hr capacity delivers industry's most energy efficient cool down; indoors or outdoors
- Up to 70% faster cooling speeds than leading competitor
- All stainless steel interior and exterior provide superior durability and easy cleaning
- Wine and refrigerator shelves fully extend on vibration dampened, stainless steel ball-bearing glides; stainless steel wine shelves will not absorb odors over time
- Perlick Anti-Condensation System™ eliminates condensation from forming on the cabinet (Outdoor and Marine models only)
- Marine & Coastal Grade with Perlick Armor™ upgrades stainless steel, fasteners, and refrigeration system to the highest blend of corrosion resistance and food safety

Quick Features:

- Industry's best full 6 year warranty for owner ease of mind
- Available with stainless steel or panel ready doors to match your design style
- Audible door alarm warns user if door is held open
- Selectable blue or white LED lighting
- R600a Natural Refrigerant offers maximum energy efficiency with zero ozone depletion potential
- Storage for up to 41 cans and 14 bottles of wine

Form No. Z2699
Rev 11.07.22



24" SIGNATURE SERIES DUAL-ZONE Refrigerator/Wine Reserve

MODEL NUMBERS		HP24CS	HP24CO	HP24CM
MODEL DESCRIPTION		24" Indoor Refrigerator/Wine Reserve	24" Outdoor Refrigerator/Wine Reserve	24" Marine/Coastal Refrigerator/Wine Reserve
ATTRIBUTES				
Perlick Anti-Condensation System		NO	YES	YES
Perlick Armor™		NO	NO	YES
OVERALL DIMENSIONS	Width - in. (mm)	23-7/8" (606 mm.)	23-7/8" (606 mm.)	23-7/8" (606 mm.)
	Depth - in. (mm)	24" (610 mm.)	24" (610 mm.)	24" (610 mm.)
	Height - in. (mm)	34-1/4" (870 mm.)	34-1/4" (870 mm.)	34-1/4" (870 mm.)
STANDARD OPENING DIMENSIONS	Width - in. (mm)	24" (610 mm.)	24" (610 mm.)	24" (610 mm.)
	Depth - in. (mm)	24-7/8" (632 mm.)	24-7/8" (632 mm.)	24-7/8" (632 mm.)
	Height - in. (mm)	34-1/2" (876 mm.)	34-1/2" (876 mm.)	34-1/2" (876 mm.)
INTERNAL VOLUME Net. Cu. Ft.		5.0 cu. ft.	5.0 cu. ft.	5.0 cu. ft.
SHIPPING WEIGHT Lbs. (kg.)		203 lbs (92.08 kg.)	203 lbs (92.08 kg.)	203 lbs (92.08 kg.)
ELECTRICAL SPECIFICATIONS	Electrical Supply	115 VAC/60 Hz/1 Ph	115 VAC/60 Hz/1 Ph	115 VAC/60 Hz/1 Ph
	Running Load Amps	2.0 amps	2.0 amps	2.0 amps
	Electrical Connection	Cord connected	Cord connected	Cord connected
	Cord Plug Type	NEMA 3 Prong 5-15P	NEMA 3 Prong 5-15P	NEMA 3 Prong 5-15P
	Cord Length	6'	6'	6'
	Defrost Initiation	Automatic	Automatic	Automatic
	Defrost Type	Off cycle	Off cycle	Off cycle
	Thermostat	Digital	Digital	Digital
	Lighting Type	LED	LED	LED
REFRIGERATION SPECIFICATIONS	Refrigerant	R600a (50g)	R600a (50g)	R600a (50g)
	Expansion Device	Capillary Tube	Capillary Tube	Capillary Tube
	Temperature Settings F°(C°)	33°/ 45° (0.5°/ 7.2°) & 42°/ 65° (5.5°/ 18.3°) Factory Set Point 36° (2.2°)	33°/ 45° (0.5°/ 7.2°) & 42°/ 65° (5.5°/ 18.3°) Factory Set Point 36° (2.2°)	33°/ 45° (0.5°/ 7.2°) & 42°/ 65° (5.5°/ 18.3°) Factory Set Point 36° (2.2°)
	Heat Rejection (at 75°F)	450 BTU/hr	450 BTU/hr	450 BTU/hr
	Pull Down Capacity	1000 BTU/hr	1000 BTU/hr	1000 BTU/hr
	Front Vented	Yes	Yes	Yes
PLUMBING		None Required	None Required	None Required

Installation Notes: To achieve 24" install depth, place electrical connection adjacent to the installation cavity.

ACCESSORIES

MODEL NOS.	DESCRIPTION
(L)	Factory Installed Lock
67991-L/R	Stacking Kit for HP24/HC24/HA24 models
66736	Caster Kit for HP24/HC24/HA24 models
RS-24-24D	Divider Shelf for HP24/HC24/HA24 models

Perlick accessories are available for purchase through an authorized Perlick dealer. For a full list of accessories and to find a dealer near you, visit perlick.com.



WARNING: California Prop 65 Notice

These products may expose you to chemicals including Chromium, which are known to the state of California to cause cancer and birth defects or other reproductive harm. For more information on whether a product in this list contains these chemicals, please refer to the specific product page at perlick.com. Or to find out more about **Prop 65**, go to P65Warnings.ca.gov.



24" SIGNATURE SERIES DUAL-ZONE
Refrigerator/Wine Reserve

	CUSTOMER MODEL NUMBER	REGULATORY MODEL NUMBER	Hinge Side	Lock
INDOOR	HP24CS-4-1L	HP24CS4H-00-SLF0E	Left	No
	HP24CS-4-1R	HP24CS4H-00-SRF0E	Right	No
	HP24CS-4-2L	HP24CS4H-00-PL00E	Left	No
	HP24CS-4-2R	HP24CS4H-00-PR00E	Right	No
	HP24CS-4-3L	HP24CS4H-00-TLF0E	Left	No
	HP24CS-4-3R	HP24CS4H-00-TRF0E	Right	No
	HP24CS-4-4L	HP24CS4H-00-RL00E	Left	No
	HP24CS-4-4R	HP24CS4H-00-RR00E	Right	No
	HP24CS-4-1LL	HP24CS4H-00-SLFLE	Left	Yes
	HP24CS-4-1RL	HP24CS4H-00-SRFLE	Right	Yes
	HP24CS-4-2LL	HP24CS4H-00-PL0LE	Left	Yes
	HP24CS-4-2RL	HP24CS4H-00-PR0LE	Right	Yes
	HP24CS-4-3LL	HP24CS4H-00-TLFLE	Left	Yes
	HP24CS-4-3RL	HP24CS4H-00-TRFLE	Right	Yes
	HP24CS-4-4LL	HP24CS4H-00-RL0LE	Left	Yes
	HP24CS-4-4RL	HP24CS4H-00-RR0LE	Right	Yes
OUTDOOR	HP24CO-4-1L	HP24CO4H-00-SLF0E	Left	No
	HP24CO-4-1R	HP24CO4H-00-SRF0E	Right	No
	HP24CO-4-2L	HP24CO4H-00-PL00E	Left	No
	HP24CO-4-2R	HP24CO4H-00-PR00E	Right	No
	HP24CO-4-3L	HP24CO4H-00-TLF0E	Left	No
	HP24CO-4-3R	HP24CO4H-00-TRF0E	Right	No
	HP24CO-4-4L	HP24CO4H-00-RL00E	Left	No
	HP24CO-4-4R	HP24CO4H-00-RR00E	Right	No
	HP24CO-4-1LL	HP24CO4H-00-SLFLE	Left	Yes
	HP24CO-4-1RL	HP24CO4H-00-SRFLE	Right	Yes
	HP24CO-4-2LL	HP24CO4H-00-PL0LE	Left	Yes
	HP24CO-4-2RL	HP24CO4H-00-PR0LE	Right	Yes
	HP24CO-4-3LL	HP24CO4H-00-TLFLE	Left	Yes
	HP24CO-4-3RL	HP24CO4H-00-TRFLE	Right	Yes
	HP24CO-4-4LL	HP24CO4H-00-RL0LE	Left	Yes
	HP24CO-4-4RL	HP24CO4H-00-RR0LE	Right	Yes
MARINE & COASTAL	HP24CM-4-1L	HP24CM4H-00-ML00E	Left	No
	HP24CM-4-1R	HP24CM4H-00-MR00E	Right	No
	HP24CM-4-2L	HP24CM4H-00-PL00E	Left	No
	HP24CM-4-2R	HP24CM4H-00-PR00E	Right	No
	HP24CM-4-3L	HP24CM4H-00-NLF0E	Left	No
	HP24CM-4-3R	HP24CM4H-00-NRF0E	Right	No
	HP24CM-4-4L	HP24CM4H-00-RL00E	Left	No
	HP24CM-4-4R	HP24CM4H-00-RR00E	Right	No
	HP24CM-4-1LL	HP24CM4H-00-MLFLE	Left	Yes
	HP24CM-4-1RL	HP24CM4H-00-MRFLE	Right	Yes
	HP24CM-4-2LL	HP24CM4H-00-PL0LE	Left	Yes
	HP24CM-4-2RL	HP24CM4H-00-PR0LE	Right	Yes
	HP24CM-4-3LL	HP24CM4H-00-NLFLE	Left	Yes
	HP24CM-4-3RL	HP24CM4H-00-NRFLE	Right	Yes
	HP24CM-4-4LL	HP24CM4H-00-RL0LE	Left	Yes
	HP24CM-4-4RL	HP24CM4H-00-RR0LE	Right	Yes

Form No. Z2699
Rev 11.07.22



24" SIGNATURE SERIES DUAL-ZONE
Refrigerator/Wine Reserve

